Chapter 2 How Soil Forms Notes

What is Soil?

- Loose material where plants grow
- Bedrock solid layer under soil
- Weathered bedrock becomes basis for soil

Soil Composition

- Mix of weathered rock, minerals, rotted organic material, air and water
- Weathered rock silt, clay, sand
- Organic materials humus
- Humus dark material left when animals and plants decay
- Humus retains water, creates spaces between rock particles for water and air
- Humus has nutrients like nitrogen, phosphorus, sulfur, and potassium
- Fertility is a measure of how well soil supports plant growth
- High humus content = high fertility
- Low humus content = low fertility

Soil Texture

- Determined by size of particles clay is soft, sand is gritty
- Particles sorted by size, clay = small particles, gravel = large particles
- Texture influences plant growth, clay soils = dense tightly packed particles – hold lots of water – plants don't get enough air to the roots and "drown"

- Sandy soil = large particles water drains away plants don't have enough water
- Loam = best balance, equal parts sand, clay and silt crumbly –
 has both air and water plants thrive
- From the chart on page 49 clay = 1/256 mm, silt 1/16 mm,
 sand 2 mm, gravel more than 2 mm

Process of Soil Formation

- Weathered bedrock mixes with material on the surface
- Bedrock exposed to the surface soil is being formed
- Soil horizon layer that is different than the layers around it
- "A" horizon topsoil humus, clay minerals
- "B" horizon subsoil (under the topsoil) clay and minerals carried down from the topsoil. Little or no humus
- "C" horizon partly weathered rock, no humus
 Insert drawings of horizon layers on page 50
- Weathering depend on temperature and rainfall, faster where it is warm and wet, slower where it is cold and dry
- Soil is made faster in warm wet climates
- Types of rock limestone weathers faster than granite, so soil forms faster from limestone than from granite

Soil Types

- Determined by climate, plants that grow, what it is made of
- Areas of heavy rain (tropical) soil forms quickly but heavy rain can wash away the humus layer
- Areas of cold usually have thin soil layers

- Most fertile moderate temperatures and rainfall not too much, not too little – just right!
- Most abundant plants used to classify soil type
- Grasslands have different soils than forests
- Composition rocky, sandy, or clay
- North America forest, prairie, desert, mountain, tundra and tropical (see map page 51)

Living Organisms in Soil

- Create humus (decomposers) or mix soil (worms, moles, gophers etc)
- Plant leaves = layer called litter
- Dead plants (leaves and roots) store nutrients decomposers break plant material down and release the nutrients to be used again
- Decomposers fungi (molds & mushrooms), bacteria, worms and others

Mixing the Soil

- Earthworms do most of the mixing
- Waste = castings rich in nutrients
- Burrowing animals mice, moles, prairie dogs, gophers mix soil as they dig – add nitrogen to soil with their waste – add organic stuff when they die and decay
- Earthworms and burrowing animals aerate (mix air into) soil

Vocabulary to know Soil Bedrock Humus Fertility Loam Soil horizon Topsoil Subsoil Litter

Decomposers